



DRAX
Designed by Science

Specification

Cardio Machine
(Treadmill)

Treadmill (NR30SXA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported
(Stabilization of Machine in condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 22% (0.1% inc.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Support(Android, i-OS) • USB connectivity, Stereo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Polar Heart Rate Receiver Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S (free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported(Magnetic Holder Type)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR30SA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR30XA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 22% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR30A)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR30SX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 22% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.
 * The color of the product in this specification is a photograph, so it may differ from the color of the actual product.
 * Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR30S)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR30EX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 22% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR30X)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 22% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR30)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 28 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25SXA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25SA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25XA)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Touch Screen System with Android OS
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Stereo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25A)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Touch Screen System with Android OS
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25SX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.
 * The color of the product in this specification is a photograph, so it may differ from the color of the actual product.
 * Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR25S)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR25EX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR25X)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR25)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Auto-tension System
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.
 * The color of the product in this specification is a photograph, so it may differ from the color of the actual product.
 * Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR20SXA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20SA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Intelligent Heart-Rate System
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20XA)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Stereo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR20A)



Features

- ❖ Touch Screen System with Android OS
- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.
 * The color of the product in this specification is a photograph, so it may differ from the color of the actual product.
 * Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR20SX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 510 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (NR20S)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20EX)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20E)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20X)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Stereo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	<ul style="list-style-type: none"> • Emergency Stop Button Supported • KC Certification(Safety)
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (NR20)



Features

- ❖ Smart Phone Mirroring Supported(Android, i-OS)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20 km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2165 x 928 x 1645 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 170kg
Entertainment	<ul style="list-style-type: none"> • 21.5inch Display Panel, HDTV Supported • Touch Screen System with Android OS • Smart Phone Mirroring Supported(Android, i-OS) • USB connectivity, Streo Headphone Connectivity
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	<ul style="list-style-type: none"> • Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	<ul style="list-style-type: none"> • Floating Deck System for shock-absorption • USB Supported
Options	• Polar Heart Rate Receiver

Treadmill (RX9300H)



Features

- ❖ **DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)**
- ❖ **Floating Deck System Supported**
- ❖ **Intelligent Heart-Rate System, Emergency Safety Stop Supported**

Product Specifications

Speed Range	• 0.8 ~ 25 km/h (0.1km/h inc.)
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 5HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
Remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9300SL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported (Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø110mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9300EL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9300L)



Features

- ❖ **DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)**
- ❖ **Floating Deck System Supported**
- ❖ **Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported**

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

Treadmill (RX9300S)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Speed-Sync System	• YES
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9300E)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9300)



Features

- ❖ **DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)**
- ❖ **Floating Deck System Supported**
- ❖ **Intelligent Heart-Rate System, Auto-tension System, Emergency Safety Stop Supported**

Product Specifications

Speed Range	• 0.8 ~ 20km/h (0.1km/h inc.)
Inclination	• 0 ~ 20% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9200SL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9200EL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9200L)



Features

- ❖ **DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)**
- ❖ **Floating Deck System Supported**
- ❖ **Intelligent Heart-Rate System, Emergency Safety Stop Supported**

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9200S)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported (Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• YES
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported • KC Certification(Safety)
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

Treadmill (RX9200E)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported (Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• No
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9200)



Features

- ❖ **DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)**
- ❖ **Floating Deck System Supported**
- ❖ **Intelligent Heart-Rate System, Emergency Safety Stop Supported**

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Inclination	• 0 ~ 16% (0.1% INC.)-Dual Incline System
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color dot-matrix
Display Information	• Speed Range, Inclination, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9000SL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

Treadmill (RX9000EL)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ DUAL Incline System Supported(Stabilization of Machine on condition of High Speed)
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

Treadmill (RX9000L)



Features

- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines

Treadmill (RX9000S)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• Yes
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 180kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9000E)



Features

- ❖ Speed-Sync System/Safety Stop Supported
- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Speed-Sync System	• No
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 180kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Automatically stopped in case of no-user in machine • Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX9000)



Features

- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 180kg
Display	• 3 color, dot matrix
Display Information	• Speed Range, Time, Distance, Calorie, Heart-Rate
Exercise Program	• Exercise Program Supported
Heart-Rate	• Intelligent Heart-Rate System • Bluetooth Heart-Rate Supported
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption
Options	• Polar Heart Rate Receiver • R-Link wireless communication System among machines • 24" LED HDTV

Treadmill (RX7700L)



Features

- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Incline	• Not supported
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 195kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption

Treadmill (RX7700)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Incline	• Not supported
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 185kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
remark	• Floating Deck System for shock-absorption • 24" LED HDTV Options

Treadmill (RX7000L)



Features

- ❖ Floating Deck System Supported
- ❖ Intelligent Heart-Rate System, Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption

Treadmill (RX7000)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 180kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption • 24" LED HDTV Options

Treadmill (ECO-L)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 mm (L x W)
Product Dimensions	• 2184 x 933 x 1872 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
Monitor	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption

Treadmill (ECO)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 m (L x W)
Product Dimensions	• 2184 x 933 x 1537 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 180kg
Display	• 4FND, LED
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption • 24" LED HDTV Options

Treadmill (DT-7700L)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Inclination	• Not supported
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic vector control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 m (L x W)
Product Dimensions	• 2213 x 920 x 1950 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 205kg
Display	• 4 FND
Display Information	• Speed Range, Time, Distance, Calorie, Inclination
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
Options	• 24 LED HDTV
remark	• Floating Deck System for shock-absorption

Treadmill (DT-7700)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Inclination	• Not supported
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic vector control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 m (L x W)
Product Dimensions	• 2213 x 920 x 1565 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 195kg
Display	• 4 FND
Display Information	• Speed Range, Time, Distance, Calorie, Inclination
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported • KC Certification(Safety)
remark	• Floating Deck System for shock-absorption

Treadmill (DT-7000L)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic vector control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 m (L x W)
Product Dimensions	• 2213 x 920 x 1950 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 200kg
Display	• 4 FND
Display Information	• Speed Range, Time, Distance, Calorie, Inclination
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
Options	• 24" LED HDTV
remark	• Floating Deck System for shock-absorption

Treadmill (DT-7000)



Features

- ❖ Floating Deck System Supported
- ❖ Emergency Safety Stop Supported

Product Specifications

Speed Range	• 0.8 ~ 16km/h (0.1km/h inc.)
Motor Specification	• 3HP (treadmill duty)
Motor Control	• Magnetic vector control
Roller Diameter	• Ø100mm
Track Size	• 1620 x 520 m (L x W)
Product Dimensions	• 2213 x 920 x 1565 mm (L x W x H)
Max. allowable W.T.	• 180kg
Weight	• 190kg
Display	• 4 FND
Display Information	• Speed Range, Time, Distance, Calorie
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year A/S(free)
Safety Function	• Emergency Stop Button Supported
remark	• Floating Deck System for shock-absorption

Non-motorized Treadmill



Features

- ❖ Non-motorized Treadmill
- ❖ Controllable running velocity(self paced velocity) on oneself
- ❖ Good space in usage in comparison to motorized treadmill
- ❖ The application of one way bearing for user-safety
- ❖ Low cost for maintenance
- ❖ No acoustic noise of motor
- ❖ Option) wireless communication system Supported

Product Specifications

Speed Range	• Controllable running velocity on oneself
Roller Diameter	• Ø175mm
Track Size	• 1640 x 430 mm (L x W)
Product Dimensions	• 1825 x 784 x 1608 mm (L x W x H)
Max. allowable W.T.	• 180 kg
Weight	• 130 kg
Power	• N/A (Non-motorized Treadmill)
Guarantee Period	• 1 year A/S(free)
Display information	• Speed Range, Time, Distance, Heart-Rate, Calorie
Safety Function	• Handrail supported • The application of one way bearing for user-safety
remark	• Running belt structure for shock absorption

Non-motorized Treadmill



Product Specifications

Speed Range	• Controllable running velocity on oneself
Roller Diameter	• Ø175mm
Track Size	• 1640 x 430 mm (L x W)
Product Dimensions	• 1649 x 784 x 1181 mm (L x W x H)
Max. allowable W.T.	• 180 kg
Weight	• 125 kg
Power	• N/A (Non-motorized Treadmill)
Guarantee Period	• 1 year A/S(free)
Safety Function	• Handrail supported • The application of one way bearing for user-safety
remark	• Running belt structure for damping

Features

- ❖ Non-motorized Treadmill
- ❖ Controllable running velocity(self paced velocity) on oneself
- ❖ Good space in usage in comparison to motorized treadmill
- ❖ The application of one way bearing for user-safety
- ❖ Low cost for maintenance
- ❖ No acoustic noise of motor

My-Mountain (MM5050SE)



Features

- ❖ Mountain dimbing(Inclination=-5 ~ 50%) at home
- ❖ Shock absorption system(damping)
- ❖ Good space in usage in comparison to motorized treadmill(50% space saving)
- ❖ Power saving more than motorized treadmill
- ❖ Exercise effect of usage: Large calorie consumption, strengthen muscle likewise mountain climbing

Product Specifications

Speed Range	• 0.3 ~ 8km/h [0.1km/h inc.]
Inclination	• -5 ~ 50% [1% increment]
Motor Specification	• 2HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø75mm
Track Size	• 1070 x 510 mm (L x W)
Product Dimensions	• 1245 x 1049 x 1629 mm (L x W x H)
Max. allowable W.T.	• 130kg
Weight	• 135kg
Display	• Dot matrix
Display Information	• Speed Range, Time, Distance, Incline, Altitude, Calorie
Exercise Program	• Exercise program(course) Supported
Deck	• The application of double sided coating deck for stable exercise
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year(free)
Safety Function	• Safety stop(magnetic holder type) • KC Certification(Safety)
remark	• Shock absorption system(damping)
Options	• 24" LED HDTV

My-Mountain (MM5050SE-L)



Features

- ❖ Mountain dimbing(Inclination=-5 ~ 50%) at home
- ❖ Shock absorption system(damping)
- ❖ Good space in usage in comparison to motorized treadmill(50% space saving)
- ❖ Power saving more than motorized treadmill
- ❖ Exercise effect of usage: Large calorie consumption, strengthen muscle likewise mountain climbing

Product Specifications

Speed Range	• 0.3 ~ 8km/h [0.1km/h inc.]
Inclination	• -5 ~ 50% [1% increment]
Motor Specification	• 2HP (treadmill duty)
Motor Control	• Magnetic Vector Control
Roller Diameter	• Ø75mm
Track Size	• 1070 x 510 mm (L x W)
Product Dimensions	• 1390 x 1049 x 1995 mm (L x W x H)
Max. allowable W.T.	• 130kg
Weight	• 135kg
Display	• Dot matrix
Display Information	• Speed Range, Time, Distance, Incline, Altitude, Calorie • Exercise program(course) Supported
Exercise Program	• Exercise program(course) Supported
Deck	• The application of double sided coating deck for stable running
Power	• 220V, 50/60Hz
Guarantee Period	• 1 year(free)
Safety Function	• Safety stop(magnetic holder type) • KC Certification(Safety)
remark	• Shock absorption system(damping)
Options	• 24" LED HDTV

* The products in this specification may be partly changed by continuing research and development.

* The color of the product in this specification is a photograph, so it may differ from the color of the actual product.

* Everything contained in this specification is prohibited from being unauthorized copied, copied, rights reserved, and cited without prior permission from DRAX INC.

"STAND" for External LED Display




Features

- ❖ "STAND" for External LED Display [Treadmill-options]
- ❖ Basically 24" LED TV attachment(Max. allowable size: 24" LED TV)
- ❖ Ergonomic design for user
- ❖ Easy control of Display Panel positioning
- ❖ Rigid Frame and coating

Product Specifications

Product Dimensions	• 1260 x 1023 x 1625 mm (L x W x H)
Feature	• Rigid Frame
Weight	• 12kg
Color	• Silver

LED TV (SAMSUNG/LG HDTV)



Features

- ❖ Wide display(16:9)
- ❖ LED TV / HDTV
- ❖ Controllable range of display: ± 15 degree(up/down direction)
- ❖ LED TV / HD TV with "STAND" for External LED Display [Treadmill-options]
- ❖ Contrast ratio=13,000:1, Luminance=250cd/m²

Product Specifications

Display	• 59.8cm (24" Wide (16:9))
Supported Function	<ul style="list-style-type: none"> • USB 자동재생 • Black Stabilizer • DAS Mode • Flicker Free screen • Smart Energy Saving • HDCP
Pixel	• 1366 x 768
Luminance	• 250 cd/m ²
Feature	<ul style="list-style-type: none"> • Analog / Digital • HDMI • USB • Headphone Out
Controllable range of display	• ± 15 degree(up/down direction)
Monitor Color	• Black
Power	• 100-240Vac, 28W, 1W, 0.4W(Off)
Guarantee Period	• 1 year A/S(free)